


EVENT POWER

[Mk.I]



AD COPY + SPECIFICATIONS

2011-2015



EVENT PC PHOTOS

ZU AUDIO EVENT POWER Mk.I AC MAINS POWER CABLE SPECIFICATIONS + INFORMATION





EVENT PC PHOTOS

ZU AUDIO EVENT POWER Mk.I AC MAINS POWER CABLE SPECIFICATIONS + INFORMATION





EVENT PC PHOTOS

ZU AUDIO EVENT POWER Mk.I AC MAINS POWER CABLE SPECIFICATIONS + INFORMATION





EVENT PC AD COPY/INFORMATION

ZU AUDIO EVENT POWER Mk.I AC MAINS POWER CABLE SPECIFICATIONS + INFORMATION

Zu Event Power Mk.I launched February 2011 and was in production without change until November 2015. Event Power Mk.I was superseded by Event Power Mk.II.

AD COPY

Event Power is designed to improve the sonic performance of DACs, A/Ds, players, preamplifiers, amplifiers, clocks, streamers, signal processors and mixers. It is a very high conductance balanced design that does not radiate or pickup electromagnetic inferences. There are no filters in this cable, just elegant power cable engineering, design, build and termination.

Event Power (Event-PC) is our best power cable. You could spend a lot more on an overgrown, under engineered power cable with an outrageous price, but then you wouldn't be able to spend all that cash you saved on a great big pile of new music. Want to know if the Zu Event Power cable will improve the sound of your system? Our 60-day satisfaction guarantee makes in-home trial dead easy—and we pay return shipping if for any reason you would like to exercise our liberal return privilege.

In addition to the U.S. spec' power plugs, we also terminate Event Power cables with region / country specific connectors. If you have any questions about international plug options please e-mail info@ZuAudio.com.

Quick features include hybrid copper/silver conductors in a multiple conductor exclusively ZuB3™ geometry, extremely high conductor area on all legs, 100% high magnitude RF shielding, cryogenically treated Wattgate™ EVO connectors, solderless/sealed termination and machined aluminum, hard anodized barrels.

Event, like Mother before it, features our own ZuB3™ geometry which incorporates several individual conductors of varying size and dielectrics which combine to create perfect symmetry between power charge circuits.

The ZuB3™ architecture yields the following benefits in power cables: symmetry between power charge legs and ground give Event Power the ability to significantly lower the noise of a system. The Event Power is very high conductance and unimpeded with filters allow stunning power delivery from the outlet to your equipment. Design features of Event PC also include flexibility and smallish cable diameter so your cable isn't pulling your gear off your shelf or cluttering up the look.

Uniform E&M fields and their relationship to ground give our ZuB3™ power cables the ability to truly improve the sound of any electronic component as opposed to the traditional 3-wire power cable which features completely random and varying fields. ZuB3™ has a much smaller radiating field when compared to the standard 3-wire power cable thus producing a power cable that eliminates environmental E&M impact on the component it is connected to and does not impact surrounding cables or electronics.



EVENT PC AD COPY/INFORMATION

ZU AUDIO EVENT POWER Mk.I AC MAINS POWER CABLE SPECIFICATIONS + INFORMATION

BURN-IN

Event Power Mk.I cables require a good bit of play before it's fully burned in, roughly 400 hours—lots of Teflon® equals slow burn-in. We do not recommend any burn-in devices or special recordings. We do recommend music you enjoy, preferably upbeat full spectrum recordings: rock, roots, full orchestra, big band.... For the possible how and whys about burn-in please see our Answers section within www.ZuAudio.com.





EVENT PC SPECIFICATIONS


ZU AUDIO EVENT POWER Mk.I AC MAINS POWER CABLE SPECIFICATIONS + INFORMATION

Design	Zu Event Power Mk.I is a high conductance balanced AC mains power cable designed around ZuB3™ EBM models; intended to be used for all high fidelity line-level and loudspeaker amplifier applications.	
Production	2011–2015	
Device Under Test	Zu Mother Mk.I [Rev-A] 6.6' [2.0m]	
Designed By	Zu Audio	
Cable Mfg By	Zu Audio	
Termination By	Zu Audio	
Manufacturers Country Of Origin	U.S.A.	
Signal Conductor Metallurgy [+]	pure copper & silver	
Signal Conductor Metallurgy [-]	pure copper & silver	
Cable Geometry	ZuB3™	
Wire Geometry	primary: perfect lay copper secondaries: low strand count equal lay silver/copper	
Directional Shielding	set at factory geometric + heavy tight-weave shielding— terminated to ground at both ends of cable on ground lug	
Conducting Area [+]	0.0098", approx. #9 AWG [6.323 mm ²]	
Conducting Area [-]	0.0098", approx. #9 AWG [6.323 mm ²]	
Conducting Area [G]	0.01028", approx. #9 AWG [6.632 mm ²]	
Dielectric	PTFE/PE/PVC/air/Cu	
Cable Sheath	Nylon 6.6	
Rs	0.01Ω [line] 0.01Ω [neutral] 0.01Ω [ground]	
Cp	line / neutral	460 pF
	line / ground	715 pF
	neutral / ground	715 pF
Ls	line	2.4 uH
	neutral	2.4 uH
	ground	2.1 uH
Bend Radius	2.5" [64mm]	
Cable Diameter	.48" [12.2mm]	
Tolerance	0.5%	
Compliance	UL, IEEE, CSA, CE, BSI, JET, RoHS	
Life Expectancy	100 years+	
Warranty & Service	limited lifetime, does not cover misuse or abuse	



EVENT PC SPECIFICATIONS

ZU AUDIO EVENT POWER Mk.I AC MAINS POWER CABLE SPECIFICATIONS + INFORMATION



1. Secondary conductors, heavy silver over copper perfect lay (x4 balanced)
2. Teflon® PTFE insulator virgin white (x4 balanced)
3. Primary conductors, heavy silver over copper perfect lay (x2 balanced)
4. Teflon® PTFE insulator virgin white (x2 balanced)
5. >90%+ B&E field containment/dielectric perimeter
6. 100%+ B&E field containment/dielectric perimeter
7. Virtual ground plane
8. Diamagnetic/dielectric/ground node/ Z_0 spacer (x2)
9. High conductance ground shield
10. Braided Nylon sheath



EVENT PC WARRANTY

ZU AUDIO EVENT POWER Mk.I AC MAINS POWER CABLE SPECIFICATIONS + INFORMATION

WARRANTY

Zu products are designed and manufactured to the highest quality. However, if something does go wrong Zu will fix or replace the product free of charge. Zu Event Power AC mains cables have a limited lifetime warranty applicable to the original owner. If under normal home use you have any problems with this cable we will fix or replace the product.

While every effort is made to ensure a perfect finish that will last a lifetime, this warranty does not cover damage from impact, abrasion or UV exposure. Zu products are designed to be used in temperature and humidity controlled environments, namely your home, studio or office unless otherwise stated.

If in the highly unlikely event that a Zu product arrives to you dead on arrival (D.O.A.), and after discussing it with a Zu tech, we will ship another of the same product at our expense and arrange for the D.O.A. product to be collected. If after inspection we find that you have misrepresented a returned product's condition, and that it was improperly handled or used, Zu will charge you for all damaged parts, labor, shipping and handling of the product.

Warranty does not apply to damage caused by operating the product outside the intended use, accident, damage caused by another product, misuse, abuse, flood, fire, earthquake or any other external causes. Warranty does not cover damage caused by modification or service performed by anyone other than a Zu representative.

When a product or part is exchanged the replacement becomes your property and the suspect or damaged part becomes Zu's property.

WHAT YOU CAN EXPECT IF WARRANTY SERVICE IS NEEDED

If warranty becomes necessary, you must call or e-mail for a return of material authorization (R.M.A.) number. This provides opportunity to assist in diagnosing the problem and helps us to schedule for rapid turnaround in the event that parts, service or repair is needed. Upon factory inspection of parts or product, warranty eligibility will be determined. While service options, parts availability and response times will vary, we do our best to keep you happy. International customers should know that Zu will comply with all applicable export/import laws and regulations, you may be responsible for custom duties, taxes, broker fees, freight, and other charges. When shipping of product or part is required, repackage the complete product, or part, in its original packaging. If you have any questions about packaging please call or e-mail. Product damage caused from incorrect repackaging is not eligible for refund or warranty and the freight company may also reject your insurance claim. Until we have the product back in the shop and sign-off that it is eligible, the product is still your property, we recommend you insure or declare the full value when shipping. We also recommend that you only ship with a freight company that has a good reputation and offers tracking and insurance for the full amount.



ZU AUDIO

Ogden Commercial Industrial Park
3350 S. 1500 W.
OGDEN, UTAH — U.S.A.

[DESIGNED AND MADE BY US]